

Comparison of 30- day use and risky behavior data: Clinton, Guilford, Madison, CT and USA							
Percentages of Total Number of Students Reporting							
	Clinton 2012	Madison 2013	Guilford 2013	Clinton 2014	State of CT 2011	USA 2013	
30 day use of alcohol							
grade 7	3	4	3	1			
8	11	7	6	1			
9	20	13	20	12	30	24	
10	37	27	35	28	37	31	
11	43	42	36	34	46	39	
12	62	52	54	53	54	47	
30 day use of marijuana							
grade 7	3	1	2	1			
8	2	1	3	2			
9	21	5	12	10	15	18	
10	24	14	20	23	23	23	
11	33	25	25	25	29	25	
12	41	32	38	43	30	28	
30 day use of tobacco							
grade 7	4	0	1	0			
8	2	1	2	1			
9	6	2	7	5	13	10	
10	9	4	10	9	10	13	
11	17	12	12	5	20	21	
12	25	11	18	20	21	19	
Rode with impaired driver							
grade 7	21	19	17	15			
8	28	22	18	14			
9	26	20	20	29	22	19	
10	31	25	25	27	23	22	
11	36	29	27	34	29	23	
12	52	28	35	37	24	29	

Depression							
grade 7	11	7	6	5			
8	15	7	9	11			
9	19	9	8	11	24	30	
10	10	14	14	17	23	30	
11	19	13	13	16	25	32	
12	20	13	13	15	25	24	
Clinton stats from 2012 and 2014 survey							
Madison stats gr 9-12 from 2013 survey, gr 7-8 from 2011							
Guilford stats from 2012 survey							
Clinton in yellow from 2014							
All numbers are % total reporting							



